

**S4 File. The schema of the SQLite database**

**Tables (29)**

Name	Type	Schema
<b>brief_summary</b>		CREATE TABLE `brief_summary` ( `trial_id` TEXT, `ctri_number` TEXT, `brief_summary` TEXT)
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
brief_summary	TEXT	"brief_summary" TEXT
<b>contact_person_public_query</b>		CREATE TABLE `contact_person_public_query` ( `trial_id` TEXT, `ctri_number` TEXT, `name` TEXT, `designation` TEXT, `affiliation` TEXT, `address` TEXT, `phone` TEXT, `fax` TEXT, `email` TEXT)
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
name	TEXT	"name" TEXT
designation	TEXT	"designation" TEXT
affiliation	TEXT	"affiliation" TEXT
address	TEXT	"address" TEXT
phone	TEXT	"phone" TEXT
fax	TEXT	"fax" TEXT
email	TEXT	"email" TEXT
<b>contact_person_scientific_query</b>		CREATE TABLE `contact_person_scientific_query` ( `trial_id` TEXT, `ctri_number` TEXT, `name` TEXT, `designation` TEXT, `affiliation` TEXT, `address` TEXT, `phone` TEXT, `fax` TEXT, `email` TEXT)
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
name	TEXT	"name" TEXT
designation	TEXT	"designation" TEXT
affiliation	TEXT	"affiliation" TEXT
address	TEXT	"address" TEXT
phone	TEXT	"phone" TEXT
fax	TEXT	"fax" TEXT
email	TEXT	"email" TEXT
<b>countries_of_recruitment</b>		CREATE TABLE `countries_of_recruitment` ( `trial_id` TEXT, `ctri_number` TEXT, `countries_of_recruitment` TEXT)

Name	Type	Schema
------	------	--------

trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
countries_of_recruitment	TEXT	"countries_of_recruitment" TEXT
<b>dates</b>		CREATE TABLE `dates` ( `trial_id` TEXT, `ctri_number` TEXT, `registered_on` TEXT, `last_modified_on` TEXT, `date_of_first_enrollment_india` TEXT, `date_of_first_enrollment_global` TEXT, `date_of_study_completion_india` TEXT, `date_of_study_completion_global` TEXT)
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
registered_on	TEXT	"registered_on" TEXT
last_modified_on	TEXT	"last_modified_on" TEXT
date_of_first_enrollment_india	TEXT	"date_of_first_enrollment_india" TEXT
date_of_first_enrollment_global	TEXT	"date_of_first_enrollment_global" TEXT
date_of_study_completion_india	TEXT	"date_of_study_completion_india" TEXT
date_of_study_completion_global	TEXT	"date_of_study_completion_global" TEXT
<b>dcgi_status</b>		CREATE TABLE `dcgi_status` ( `trial_id` TEXT, `ctri_number` TEXT, `dcgi_status` TEXT)
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
dcgi_status	TEXT	"dcgi_status" TEXT
<b>download_info</b>		CREATE TABLE `download_info` ( `trial_id` INTEGER, `download_date` TEXT, `download_time_24hrs` TEXT)
trial_id	INTEGER	"trial_id" INTEGER
download_date	TEXT	"download_date" TEXT
download_time_24hrs	TEXT	"download_time_24hrs" TEXT
<b>estimated_duration</b>		CREATE TABLE `estimated_duration` ( `trial_id` TEXT, `ctri_number` TEXT, `estimated_duration` TEXT)
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
estimated_duration	TEXT	"estimated_duration" TEXT

Name	Type	Schema
------	------	--------

<b>ethics_committee</b>		CREATE TABLE `ethics_committee` ( `trial_id` TEXT, `ctri_number` TEXT, `noofcom` TEXT, `name` TEXT, `approval_status` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
noofcom	TEXT	"noofcom" TEXT
name	TEXT	"name" TEXT
approval_status	TEXT	"approval_status" TEXT
<b>exclusion</b>		CREATE TABLE `exclusion` ( `trial_id` TEXT, `ctri_number` TEXT, `exclusion_details` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
exclusion_details	TEXT	"exclusion_details" TEXT
<b>health_condition</b>		CREATE TABLE `health_condition` ( `trial_id` TEXT, `ctri_number` TEXT, `type` TEXT, `condition` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
type	TEXT	"type" TEXT
condition	TEXT	"condition" TEXT
<b>inclusion</b>		CREATE TABLE `inclusion` ( `trial_id` TEXT, `ctri_number` TEXT, `inclusion_age_from` TEXT, `inclusion_age_to` TEXT, `inclusion_gender` TEXT, `inclusion_details` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
inclusion_age_from	TEXT	"inclusion_age_from" TEXT
inclusion_age_to	TEXT	"inclusion_age_to" TEXT
inclusion_gender	TEXT	"inclusion_gender" TEXT
inclusion_details	TEXT	"inclusion_details" TEXT
<b>intervention_comparator</b>		CREATE TABLE `intervention_comparator` ( `trial_id` TEXT, `ctri_number` TEXT, `comparator_name` TEXT, `comparator_details` TEXT, `intervention_name` TEXT, `intervention_details` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
comparator_name	TEXT	"comparator_name" TEXT

Name	Type	Schema
comparator_details	TEXT	"comparator_details" TEXT
intervention_name	TEXT	"intervention_name" TEXT

intervention_details	TEXT	"intervention_details" TEXT
<b>method</b>		CREATE TABLE `method` ( `trial_id` TEXT, `ctri_number` TEXT, `method_of_generating_random_sequence` TEXT, `method_concealment` TEXT, `blinding_masking` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
method_of_generating_random_sequence	TEXT	"method_of_generating_random_sequence" TEXT
method_concealment	TEXT	"method_concealment" TEXT
blinding_masking	TEXT	"blinding_masking" TEXT
<b>pi</b>		CREATE TABLE `pi` ( `trial_id` TEXT, `ctri_number` TEXT, `name` TEXT, `designation` TEXT, `affiliation` TEXT, `address` TEXT, `phone` TEXT, `fax` TEXT, `email` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
name	TEXT	"name" TEXT
designation	TEXT	"designation" TEXT
affiliation	TEXT	"affiliation" TEXT
address	TEXT	"address" TEXT
phone	TEXT	"phone" TEXT
fax	TEXT	"fax" TEXT
email	TEXT	"email" TEXT
<b>primary_outcome</b>		CREATE TABLE `primary_outcome` ( `trial_id` TEXT, `ctri_number` TEXT, `outcome` TEXT, `timepoint` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
outcome	TEXT	"outcome" TEXT
timepoint	TEXT	"timepoint" TEXT
<b>primary_sponsor</b>		CREATE TABLE `primary_sponsor` ( `trial_id` TEXT, `ctri_number` TEXT, `name` TEXT, `address` TEXT, `type_of_sponsor` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
name	TEXT	<b>Name</b>
address	TEXT	"address" TEXT

Name	Type	Schema
type_of_sponsor	TEXT	"type_of_sponsor" TEXT
<b>publication</b>		CREATE TABLE `publication` ( `trial_id` TEXT, `ctri_number` TEXT, `publication` TEXT )

trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
publication	TEXT	"publication" TEXT
<b>recruitment</b>		CREATE TABLE `recruitment` ( `trial_id` TEXT, `ctri_number` TEXT, `recruitment_status_india` TEXT, `recruitment_status_global` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
recruitment_status_india	TEXT	"recruitment_status_india" TEXT
recruitment_status_global	TEXT	"recruitment_status_global" TEXT
<b>reg_details</b>		CREATE TABLE `reg_details` ( `trial_id` TEXT, `ctri_number` TEXT, `registered_on` TEXT, `reg_type` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
registered_on	TEXT	"registered_on" TEXT
reg_type	TEXT	"reg_type" TEXT
<b>secondary_id</b>		CREATE TABLE `secondary_id` ( `trial_id` TEXT, `ctri_number` TEXT, `id` TEXT, `identifier` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
id	TEXT	"id" TEXT
identifier	TEXT	"identifier" TEXT
<b>secondary_outcome</b>		CREATE TABLE `secondary_outcome` ( `trial_id` TEXT, `ctri_number` TEXT, `outcome` TEXT, `timepoint` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
outcome	TEXT	"outcome" TEXT
timepoint	TEXT	"timepoint" TEXT
<b>secondary_sponsor</b>		CREATE TABLE `secondary_sponsor` ( `trial_id` TEXT, `ctri_number` TEXT, `name` TEXT, `address` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
name	TEXT	"name" TEXT

Name	Type	Schema
address	TEXT	"address" TEXT
<b>sites_of_study</b>		CREATE TABLE `sites_of_study` ( `trial_id` TEXT, `ctri_number` TEXT, `noofsites` TEXT, `pi` TEXT, `name` TEXT, `address` TEXT, `phonefaxemail` TEXT )

trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
noofsites	TEXT	"noofsites" TEXT
pi	TEXT	"pi" TEXT
name	TEXT	"name" TEXT
address	TEXT	"address" TEXT
phonefaxemail	TEXT	"phonefaxemail" TEXT
<b>source_of_monetary_material_support</b>		CREATE TABLE `source_of_monetary_material_support` ( `trial_id` TEXT, `ctri_number` TEXT, `source_of_monetary_material_support` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
source_of_monetary_material_support	TEXT	"source_of_monetary_material_support" TEXT
<b>study_details</b>		CREATE TABLE `study_details` ( `trial_id` TEXT, `ctri_number` TEXT, `type_of_trial` TEXT, `type_of_study` TEXT, `study_design` TEXT, `phase` TEXT, `post_graduate_thesis` TEXT, `acronym` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
type_of_trial	TEXT	"type_of_trial" TEXT
type_of_study	TEXT	"type_of_study" TEXT
study_design	TEXT	"study_design" TEXT
phase	TEXT	"phase" TEXT
post_graduate_thesis	TEXT	"post_graduate_thesis" TEXT
acronym	TEXT	"acronym" TEXT
<b>study_name</b>		CREATE TABLE `study_name` ( `trial_id` TEXT, `ctri_number` TEXT, `public_title` TEXT, `scientific_title` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT

Name	Type	Schema
public_title	TEXT	"public_title" TEXT
scientific_title	TEXT	"scientific_title" TEXT
<b>target_sample_size</b>		CREATE TABLE `target_sample_size` ( `trial_id` TEXT, `ctri_number` TEXT, `target_sample_size` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT

target_sample_size	TEXT	"target_sample_size" TEXT
<b>urls</b>		CREATE TABLE `urls` ( `trial_id` TEXT, `ctri_number` TEXT, `ctri_url` TEXT )
trial_id	TEXT	"trial_id" TEXT
ctri_number	TEXT	"ctri_number" TEXT
ctri_url	TEXT	"ctri_url" TEXT

**Indices (0)**

Name	Type	Schema
------	------	--------

**Views (0)**

Name	Type	Schema
------	------	--------

**Triggers (0)**

Name	Type	Schema
------	------	--------